

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	1	"5828856".pn.	USPAT	OR	OFF	2005/05/09 14:30
L4	1	"5768617".pn.	USPAT	OR	OFF	2005/05/09 14:29
S52 8	15	S527 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/09 13:39
S52 7	2246	(host computer user) near2 (updat\$3 chang\$3 re\$1adjust\$3 re\$1configur\$3 re\$1set\$4) near4 (parameter\$1 register\$1 precompensation coefficient offset)	USPAT	OR	OFF	2005/05/06 15:30
S52 4	100962	(updat\$3 chang\$3 re\$1adjust\$3 re\$1configur\$3 re\$1set\$4) near4 (parameter\$1 register\$1 precompensation coefficient offset)	USPAT	OR	OFF	2005/05/06 15:30
S52 6	70	S525 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/06 14:49
S52 5	4381	S524.ab.	USPAT	OR	OFF	2005/05/06 14:49
S52 3	18	(updat\$3 chang\$3 re\$1adjust\$3 re\$1configur\$3 re\$1set\$4) near4 (parameter\$1 register\$1 precompensation coefficient offset) same (no without bypass\$3 offload\$3) near2 (cpu micro\$1processor processor risc) same controller	USPAT	OR	OFF	2005/05/06 14:48
S52 2	81	(updat\$3 chang\$3 adjust\$3 re\$1adjust\$3 configur\$3 re\$1configur\$3 set\$4 re\$1set\$4) near4 (parameter\$1 register\$1 precompensation coefficient offset) same (no without bypass\$3 offload\$3) near2 (cpu micro\$1processor processor risc) same controller	USPAT	OR	OFF	2005/05/06 14:45
S51 6	735	(updat\$3 chang\$3 adjust\$3 re\$1adjust\$3 align\$3 re\$1lign\$3 configur\$3 re\$1configur\$3 set\$4 re\$1set\$4) near4 (parameter\$1 register\$1 precompensation coefficient offset) same (no without bypass\$3 offload\$3) near2 (cpu micro\$1processor processor risc)	USPAT	OR	OFF	2005/05/06 14:43
S52 1	140	S516 same (DMA direct adj memory adj access controller)	USPAT	OR	OFF	2005/05/06 14:41

S52 0	81	S516 same controller	USPAT	OR	OFF	2005/05/06 14:41
S51 9	12	S516 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/06 14:36
S51 3	17	S512 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/06 14:36
S51 7	26	S516.ab.	USPAT	OR	OFF	2005/05/06 14:26
S51 8	15	S516.clm.	USPAT	OR	OFF	2005/05/06 14:24
S51 0	219610	(updat\$3 chang\$3 adjust\$3 re\$1adjust\$3 align\$3 re\$1lign\$3 configur\$3 re\$1configur\$3 set\$4 re\$1set\$4) near4 (parameter\$1 register\$1 precompensation coefficient offset)	USPAT	OR	OFF	2005/05/06 14:22
S51 4	15	S512 and "369"/\$.ccls.	USPAT	OR	OFF	2005/05/06 14:19
S51 5	394	S512 and "710"/\$.ccls.	USPAT	OR	OFF	2005/05/06 14:14
S51 2	923	S511 same (DMA direct adj memory adj access)	USPAT	OR	OFF	2005/05/06 14:14
S51 1	19264	S510 same controller	USPAT	OR	OFF	2005/05/06 14:13
S50 9	15	(host computer) near2 (updat\$3 chang\$3 adjust\$3 re\$1adjust\$3 align\$3 re\$1lign\$3 configur\$3 re\$1configur\$3 set\$4 re\$1set\$4) near4 (parameter\$1 register\$1) same controller same channel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/06 14:04
S50 8	246	S503 same controller	USPAT	OR	OFF	2005/05/06 10:51
S50 7	8	S503 same controller same channel	USPAT	OR	OFF	2005/05/06 10:51
S50 3	2168	(host computer) near2 (updat\$3 chang\$3 adjust\$3 re\$1adjust\$3 align\$3 re\$1lign\$3 configur\$3 re\$1configur\$3 set\$4 re\$1set\$4) near4 (parameter\$1 register\$1)	USPAT	OR	OFF	2005/05/06 10:51
S50 4	38	S503 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/06 10:35
S50 5	6	S503 and "369"/\$.ccls.	USPAT	OR	OFF	2005/05/06 10:33
S50 6	281	S503 and "710"/\$.ccls.	USPAT	OR	OFF	2005/05/06 10:32
S50 2	25	S488 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/06 10:32

S48 8	1444	(host computer) near2 (updat\$3 chang\$3 adjust\$3 re\$1adjust\$3 align\$3 re\$1align\$3 configur\$3 re\$1configur\$3 set\$4 re\$1set\$4) near2 (parameter\$1 register\$1)	USPAT	OR	OFF	2005/05/06 10:32
S50 1	9	S496 same channel	USPAT	OR	OFF	2005/05/06 10:30
S49 6	503	(host computer) near2 (updat\$3 chang\$3) near4 (parameter\$1 register\$1)	USPAT	OR	OFF	2005/05/06 10:30
S50 0	63	S496.clm.	USPAT	OR	OFF	2005/05/06 10:27
S49 9	16	S496.ab.	USPAT	OR	OFF	2005/05/06 10:26
S49 8	0	S496 and "369"/\$.ccls.	USPAT	OR	OFF	2005/05/06 10:25
S49 7	0	S496 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/06 10:25
S49 5	0	S492 and "369"/\$.ccls.	USPAT	OR	OFF	2005/05/06 10:22
S49 4	0	S489 and "369"/\$.ccls.	USPAT	OR	OFF	2005/05/06 10:22
S49 3	1	S492 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/06 10:22
S49 2	237	S488.clm.	USPAT	OR	OFF	2005/05/06 10:22
S49 1	0	S489 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/06 10:22
S48 9	49	S488.ab.	USPAT	OR	OFF	2005/05/06 10:22
S48 7	50	(host computer) near2 (updat\$3 chang\$3 adjust\$3 re\$1adjust\$3 align\$3 re\$1align\$3 configur\$3 re\$1configur\$3 set\$4 re\$1set\$4) near2 (operat\$3 adj parameter\$1 channel adj register\$1)	USPAT	OR	OFF	2005/05/06 10:20
S47 8	741	host near2 (updat\$3 chang\$3 adjust\$3 re\$1adjust\$3 align\$3 re\$1align\$3 configur\$3 re\$1configur\$3 set\$4 re\$1set\$4) near4 (parameter\$1 register\$1)	USPAT	OR	OFF	2005/05/06 10:17
S48 5	30	S478 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/05 17:15
S48 6	2	S478 and "369"/\$.ccls.	USPAT	OR	OFF	2005/05/05 17:14
S48 4	67	S478.clm.	USPAT	OR	OFF	2005/05/05 17:14

S48 3	17	S478.ab.	USPAT	OR	OFF	2005/05/05 17:11
S48 2	5	S478 same controller same channel	USPAT	OR	OFF	2005/05/05 17:09
S48 1	0	S479 and "369"/\$.ccls.	USPAT	OR	OFF	2005/05/05 17:02
S48 0	7	S479 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/05 17:02
S47 9	92	S478 same (retriev\$3 read\$3 writ\$3) near4 data	USPAT	OR	OFF	2005/05/05 17:01
S47 3	13261	(retriev\$3 read\$3 writ\$3) near4 data same (chang\$3 adjust\$3 re\$1adjust\$3 align\$3 re\$1lign\$3 configur\$3 re\$1configur\$3 set\$4 re\$1set\$4) near4 (parameter\$1 register\$1)	USPAT	OR	OFF	2005/05/05 16:58
S47 6	5	S474.ab.	USPAT	OR	OFF	2005/05/05 16:51
S47 7	5	S474.clm.	USPAT	OR	OFF	2005/05/05 16:32
S47 4	138	S473 same controller same channel	USPAT	OR	OFF	2005/05/05 16:32
S47 5	30	S474 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/05 14:50
S47 1	85	(retriev\$3 read\$3 writ\$3) near4 data same (chang\$3 adjust\$3 re\$1adjust\$3 align\$3 re\$1lign\$3 configur\$3 re\$1configur\$3 set\$4 re\$1set\$4) near4 (parameter\$1 register\$1) same ("same" common) near2 (bus path)	USPAT	OR	OFF	2005/05/05 14:47
S47 2	21	S471 same controller	USPAT	OR	OFF	2005/05/05 14:38
S45 8	169208	(chang\$3 adjust\$3 re\$1adjust\$3 align\$3 re\$1lign\$3 configur\$3 re\$1configur\$3 set\$4 re\$1set\$4) near4 (parameter\$1 register\$1)	USPAT	OR	OFF	2005/05/05 14:36
S47 0	11	S467 same shar\$3 adj (bus channel path)	USPAT	OR	ON	2005/05/05 14:23
S46 9	140	S467 same (single one common "same" shar\$3) adj (bus channel path)	USPAT	OR	OFF	2005/05/05 14:22
S46 8	145	S467 same (single one common "same" shar\$3) adj (bus channel path)	USPAT	OR	ON	2005/05/05 14:22

S41 8	23	(single one common "same" shar\$3) adj (bus channel path) same (retriev\$3 access\$3 read\$3 writ\$3) near2 (value\$1 data\$1 information\$1) same (updat\$3 upgrad\$3 modif\$4) near4 (parameter\$1 register\$1)	USPAT	OR	ON	2005/05/05 14:20
S46 7	16529	S458 same controller	USPAT	OR	OFF	2005/05/05 14:08
S46 0	4099	S459 same controller	USPAT	OR	OFF	2005/05/05 14:08
S46 4	6	S462 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/05 13:58
S46 6	1	"6411452".pn.	USPAT	OR	OFF	2005/05/05 13:33
S46 5	7	S463 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/05 13:33
S46 3	221	S460.clm.	USPAT	OR	OFF	2005/05/05 13:27
S46 2	119	S460.ab.	USPAT	OR	OFF	2005/05/05 13:27
S46 1	105	S460 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/05 13:27
S45 9	25408	S458 same (channel bus path)	USPAT	OR	OFF	2005/05/05 13:26
S45 0	431	updat\$3 near4 (operat\$3 adj parameter\$1 channel adj register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 13:16
S45 7	26	S450 same controller same (retriev\$3 read\$3 writ\$3 access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:11
S45 6	4	S450 and "360"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 12:05
S45 5	3	S450 and "360"/\$.ccls.	USPAT	OR	OFF	2005/05/05 12:04
S45 4	34	S452.clm.	USPAT	OR	OFF	2005/05/05 12:03
S45 3	9	S452.ab.	USPAT	OR	OFF	2005/05/05 11:58

S45 2	241	updat\$3 near4 (operat\$3 adj parameter\$1 channel adj register\$1)	USPAT	OR	OFF	2005/05/05 11:58
S45 1	26	S450 same (bus path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 11:25
S2	485	(710/1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/05 11:22
S44 9	1	"5828856".pn.	USPAT	OR	OFF	2005/05/04 16:35
S44 8	21	updat\$3 near3 (register\$1 parameter\$1) near2 (through via on) near2 (bus channel path)	USPAT	OR	OFF	2005/05/04 16:35
S44 4	688	updat\$3 near3 (register\$1 parameter\$1) near4 (bus channel path)	USPAT	OR	OFF	2005/05/04 16:14
S44 7	38	S445.clm.	USPAT	OR	OFF	2005/05/04 16:05
S44 6	11	S445.ab.	USPAT	OR	OFF	2005/05/04 16:05
S44 5	410	updat\$3 near3 (register\$1 parameter\$1) near4 (bus path)	USPAT	OR	OFF	2005/05/04 16:01
S43 6	1043	updat\$3 near3 (register\$1 parameter\$1) near4 (bus channel path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 16:00
S44 3	85	S436 same controller	USPAT	OR	ON	2005/05/04 12:45
S44 2	112	S436 same controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:45
S44 1	133	S436 and "710"/\$.ccls.	USPAT	OR	OFF	2005/05/04 12:44
S44 0	156	S436 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:43
S43 9	25	S436 and "360"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:43

S43 8	108	S436.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:09
S43 7	100	S436.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 10:14
S43 5	1	S421 and "360"/\$.ccls.	USPAT	OR	ON	2005/05/03 17:25
S42 4	8	S421 and "710"/\$.ccls.	USPAT	OR	ON	2005/05/03 17:25
S43 4	8	updat\$3 near4 (parameter\$1 register\$1) near4 (single one common "same" shar\$3) adj (bus channel path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 17:23
S42 5	31486	updat\$3 near4 (parameter\$1 register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 17:22
S43 3	177	S432 and "710"/\$.ccls.	USPAT	OR	OFF	2005/05/03 17:11
S43 2	2390	S428.clm.	USPAT	OR	OFF	2005/05/03 17:02
S43 1	0	S429 and "710"/\$.clm.	USPAT	OR	OFF	2005/05/03 17:02
S43 0	56	S429 and "710"/\$.ccls.	USPAT	OR	OFF	2005/05/03 17:02
S42 9	721	S428.ab.	USPAT	OR	OFF	2005/05/03 17:01
S42 8	18161	updat\$3 near4 (parameter\$1 register\$1)	USPAT	OR	OFF	2005/05/03 17:01
S42 7	18161	updat\$3 near4 (parameter\$1 register\$1)	USPAT	OR	ON	2005/05/03 17:01
S42 6	12	S425 same shar\$3 adj (bus channel path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:51

S41 5	22	(single one common "same" shar\$3) adj (bus channel path) same (retriev\$3 access\$3 read\$3 writ\$3) near2 (value\$1 data\$1 information\$1) same (updat\$3 upgrad\$3 modif\$4) near4 (parameter\$1 register\$1)	USPAT	OR	OFF	2005/05/03 16:49
S42 2	1	S421.ab.	USPAT	OR	ON	2005/05/03 16:45
S42 1	71	(single one common "same" shar\$3) adj (bus channel path) same retriev\$3 same updat\$3	USPAT	OR	ON	2005/05/03 16:45
S42 3	8	S421.clm.	USPAT	OR	ON	2005/05/03 16:42
S42 0	3	shar\$3 adj (bus channel path) same retriev\$3 same updat\$3	USPAT	OR	ON	2005/05/03 16:41
S41 9	8	shar\$3 adj (bus channel path) same (retriev\$3 access\$3 read\$3 writ\$3) same (updat\$3 upgrad\$3 modif\$4) near4 (parameter\$1 register\$1)	USPAT	OR	ON	2005/05/03 16:39
S41 7	12	(single one common "same" shar\$3) adj (bus channel path) same (retriev\$3 access\$3 read\$3 writ\$3) near2 (value\$1 data\$1 information\$1) same (updat\$3 upgrad\$3 modif\$4) near4 (parameter\$1 register\$1)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:26
S41 6	9	(single one common "same" shar\$3) adj (bus channel path) same (retriev\$3 access\$3 read\$3 writ\$3) near2 (value\$1 data\$1 information\$1) same (updat\$3 upgrad\$3 modif\$4) near4 (parameter\$1 register\$1)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 16:19
S40 5	26	((single one common "same" shar\$3) near2 (bus channel path) near4 register\$1 near4 (value\$1 data\$1 information\$1)) same (updat\$3 near4 register\$1)	USPAT	OR	ON	2005/05/03 15:59